



# NP Series

Passenger Lift


MACHINE ROOM









# HORIZONTAL DIMENSION WIDE CAR (630 - 1600kg)

NP Series Passenger Lift  
Roping 2:1

 Product Code	Capacity		Min. Car Size CW*CD (mm*mm)		Door		Min. Shaft Size SW*SD (mm*mm)	
	Loads (kg)	No. Of Person	CW (mm)	CD (mm)	Door Type	Door Opening (mm)	SW (mm)	SD (mm)
NP0630-W2C08	630	8	1400	1100	2CO	800	1800	1650
NP0630-W2C09						900	2000	1650
NP0630-W2C10						1000	2200	1650
NP0630-W4C09					4CO	900	1800	1750
NP0630-W4C10						1000	1850	1750
NP0800-W2C08	800	10	1400	1350	2CO	800	1800	1900
NP0800-W2C09						900	2000	1900
NP0800-W2C10						1000	2200	1900
NP0800-W4C09					4CO	900	1800	2000
NP0800-W4C10						1000	1850	2000
NP1000-W2C09	1000	13	1600	1400	2CO	900	2050	2050
NP1000-W2C10						1000	2200	2050
NP1000-W2C11						1100	2400	2050
NP1000-W2C12					1200	2600	2050	
NP1000-W4C10					4CO	1000	2050	2150
NP1000-W4C11						1100	2050	2150
NP1000-W4C12						1200	2100	2150
NP1150-W2C10	1150	15	1800	1400		2CO	1000	2300
NP1150-W2C11					1100		2400	2050
NP1150-W2C12					1200		2600	2050
NP1150-W4C11					4CO	1100	2300	2150
NP1150-W4C12						1200	2300	2150
NP1150-W4C13						1300	2300	2150
NP1150-W4C14						1400	2400	2150
NP1350-W2C10	1350	18	1800	1650	2CO	1000	2300	2300
NP1350-W2C11						1100	2400	2300
NP1350-W2C12						1200	2600	2300
NP1350-W4C11					4CO	1100	2300	2400
NP1350-W4C12						1200	2300	2400
NP1350-W4C13						1300	2300	2400
NP1350-W4C14						1400	2400	2400
NP1600-W2C10	1600	21	2000	1700	2CO	1000	2500	2350
NP1600-W2C11						1100	2500	2350
NP1600-W2C12						1200	2600	2350
NP1600-W4C12					4CO	1200	2500	2450
NP1600-W4C13						1300	2500	2450
NP1600-W4C14						1400	2500	2450
NP1600-W4C15						1500	2550	2450
NP1600-W4C16	1600	2700	2450					




\*For depth car, when  $CW = DO$ , no return panel.



# HORIZONTAL DIMENSION DEPTH CAR (630 - 1600kg)

NP Series Passenger Lift  
Roping 2:1

 Product Code	Capacity		Min. Car Size CW*CD (mm*mm)		Door		Min. Shaft Size SW*SD (mm*mm)					
	Loads (kg)	No. Of Person	CW (mm)	CD (mm)	Door Type	Door Opening (mm)	SW (mm)	SD (mm)				
NP0630-D2C08	630	8	1100	1400	2CO	800	1900	1750				
NP0630-D2C09						900	2000	1750				
NP0630-D2C10						1000	2200	1750				
NP0630-D2C11						1100	2400	1700				
NP0630-D4C08					4CO	800	1800	1850				
NP0630-D4C09						900	1850	1850				
NP0630-D4C10						1000	1950	1850				
NP0630-D4C11						1100	2000	1750				
NP0630-D2S08					2SO	800	1800	1850				
NP0630-D2S09						900	1800	1850				
NP0630-D2S10						1000	1900	1850				
NP0630-D2S11						1100	2000	1750				
NP0800-D2C08	800	10	1100	1700	2CO	800	1900	2050				
NP0800-D2C09						900	2000	2050				
NP0800-D2C10						1000	2200	2050				
NP0800-D2C11						1100	2400	2000				
NP0800-D4C08					4CO	800	1800	2150				
NP0800-D4C09						900	1850	2150				
NP0800-D4C10						1000	1950	2150				
NP0800-D4C11						1100	2000	2050				
NP0800-D2S08					2SO	800	1800	2150				
NP0800-D2S09						900	1800	2150				
NP0800-D2S10						1000	1900	2150				
NP0800-D2S11						1100	2000	2050				
NP1000-D2C09	1000	13	1100	2100	2CO	900	2100	2450				
NP1000-D2C10						1000	2200	2450				
NP1000-D2C11						1100	2400	2400				
NP1000-D4C09					4CO	900	1950	2550				
NP1000-D4C10						1000	2050	2550				
NP1000-D4C11						1100	2100	2450				
NP1000-D2S09					2SO	900	1900	2550				
NP1000-D2S10						1000	1900	2550				
NP1000-D2S11						1100	2000	2450				
NP1150-D2C10					1150	15	1400	1800	2CO	1000	2400	2150
NP1150-D2C11										1100	2500	2150
NP1150-D2C12										1200	2600	2150
NP1150-D4C10	4CO	1000	2250	2250								
NP1150-D4C11		1100	2300	2250								
NP1150-D4C12		1200	2350	2250								
NP1150-D4C13		1300	2450	2250								
NP1150-D4C14	1400	2500	2150									
NP1150-D2S10	2SO	1000	2250	2250								
NP1150-D2S11		1100	2250	2250								
NP1150-D2S12		1200	2250	2250								
NP1150-D2S13		1300	2400	2250								
NP1150-D2S14	1400	2500	2150									
NP1350-D2C10	1350	18	1400	2100	2CO	1000	2400	2450				
NP1350-D2C11						1100	2500	2450				
NP1350-D2C12						1200	2600	2450				
NP1350-D4C10					4CO	1000	2250	2550				
NP1350-D4C11						1100	2300	2550				
NP1350-D4C12						1200	2350	2550				
NP1350-D4C13						1300	2450	2550				
NP1350-D4C14					1400	2500	2450					
NP1350-D2S10					2SO	1000	2250	2550				
NP1350-D2S11						1100	2250	2550				
NP1350-D2S12						1200	2250	2550				
NP1350-D2S13						1300	2400	2550				
NP1350-D2S14	1400	2500	2450									
NP1600-D2C10	1600	21	1400	2400	2CO	1000	2400	2750				
NP1600-D2C11						1100	2500	2750				
NP1600-D2C12						1200	2600	2750				
NP1600-D4C10					4CO	1000	2250	2850				
NP1600-D4C11						1100	2300	2850				
NP1600-D4C12						1200	2350	2850				
NP1600-D4C13						1300	2450	2850				
NP1600-D4C14					1400	2500	2750					
NP1600-D2S10					2SO	1000	2250	2850				
NP1600-D2S11						1100	2250	2850				
NP1600-D2S12						1200	2250	2850				
NP1600-D2S13						1300	2400	2850				
NP1600-D2S14	1400	2500	2750									

# OVERHEAD & PIT DEPTH

NP Series Passenger Lift

NP Series		Car Height						
Speed	OH/PD	2200	2300	2400	2500	2600	2700	2800
1.0m/s	OH	4500	4600	4700	4800	4900	5000	5100
	PD	1500	1500	1500	1500	1500	1500	1500
1.5m/s	OH	4600	4700	4800	4900	5000	5100	5200
	PD	1600	1600	1600	1600	1600	1600	1600
1.75m/s	OH	4700	4800	4900	5000	5100	5200	5300
	PD	1700	1700	1700	1700	1700	1700	1700
2.0m/s	OH	5300	5400	5500	5600	5700	5800	5900
	PD	1900	1900	1900	1900	1900	1900	1900
2.5m/s	OH	5300	5400	5500	5600	5700	5800	5900
	PD	1900	1900	1900	1900	1900	1900	1900



Nippon's Machine  
Roomless Series:

- MV Series Home Lift**
- EV Series**

Nippon's Machine  
Room Series:

- NE Series Passenger Lift**
- NP Series Passenger Lift**



**Nippon Lift Industry Sdn Bhd (790778-U)**

1030 Lengkok Perindustrian Bukit Minyak 2, Kawasan Perindustrian Bukit Minyak, 14100, Penang. Malaysia

**T:** +60(4) 508 8833 **F:** +60(4) 508 8866 **E:** info@nipponelevator.com **W:** www.nipponelevator.com